



PLAYFIX® INDOOR SAFETY FLOORING



“FRANZ JOSEF STRAUSS” AIRPORT,
MUNICH (GERMANY)

AT A GLANCE

BSW products used

- playfix® indoor
Colours: May green, Capri blue

Installed area

approx. 217 m²

Architect

Eva Demmelhuber

“FRANZ JOSEF STRAUSS” AIRPORT, MUNICH, GERMANY



Although, for children, flying is always an adventure, the hustle and bustle of airports, waiting times and security checks make it just as strenuous as it is exciting for the little passengers. In the satellite building of Terminal 2, Munich's "Franz Josef Strauss" airport has set up two new family and children's zones so that its younger passengers can play, let off steam and relax before their journey. And the seamless indoor surfacing from the Bad Berleburg manufacturers BSW provides the required climbing and playing safety.

The concept for the two zones came from Munich architect Eva Demmelhuber, inspired by Bavaria's alpine landscapes. The furnishings and playing elements are all special one-off designs and are named after famous Alpine massifs. And so, the kids can while away their waiting times on the Watzmann mountain, the central massif of the Berchtesgaden Alps. Or they can go climbing over huge tree trunks floating down the Partnachklamm Gorge in Garmisch-Partenkirchen. Of course, this "Alpine Region" needs the appropriate impact protection surface for its little "mountaineers". For this, Eva Demmelhuber chose **playfix® indoor**, the seamless PUR flooring from BSW with outstanding fall protection properties. This floor covering not only provides the necessary protection; its colouring can also be adapted to the design concept. The lush meadows and babbling streams of the Bavarian Alps are captured in May green and Capri blue surfaces.

For the children's play zone on level 04, which is only accessible after the security checks, 155 m² **playfix® indoor** were supplied and installed. The surfaces are barrier free, allowing easy access to wheelchair users. A further 62 m² of **playfix® indoor** was laid on level 05. The flush-mounted inspection hatches in the floor were also covered with **playfix® indoor**, giving them the same impact protection qualities as the rest of the surface.

The overall installation height of both floor surfaces is 42 mm and is a bespoke design, specially adapted to this specific project. This version is classified as flame retardant Bfl-s1 in accordance with DIN EN 13501-1:2010 and is also approved by the DIBt (German Institute for Building Technology). The fire class was a decisive feature for the architect, as the fire protection certificate was a requirement the airport had demanded.

Further benefits of **playfix® indoor** are its easy cleaning, resilience, durability and non-slip properties. Symbols, logos, images and lettering can also be applied to the flooring. In both family and children's zones, the task of laying the floor was put in the capable hands of a trained BSW technician.



**BSW BERLEBURGER
SCHAUMSTOFFWERK GMBH**
Am Hilgenacker 24
57319 Bad Berleburg
Germany

Phone +49 2751 803-0
Fax +49 2751 803-109
info@berleburger.de
www.berleburger.com

REGUPOL SCHWEIZ AG
Bahnhofstrasse 5
8953 Dietikon
Switzerland

Phone +41 44 542 84 40
Fax +41 44 542 84 42
info@regupol.ch
www.regupol.ch

REGUPOL AMERICA LLC
11 Ritter Way
Lebanon, PA 17042
USA

Phone +1 717 675 2198
Fax +1 717 675 2199
sales@regupol.com
www.regupol.com

REGUPOL AUSTRALIA PTY. LTD.
155 Smeaton Grange Road
SMEATON GRANGE NSW 2567
Australia

Phone +61 2 4624 0050
Fax +61 2 4647 4403
sales@regupol.com.au
www.regupol.com.au

**REGUPOL ACOUSTICS
MIDDLE EAST FZE**
P.O. Box 61201
JAFZA, Dubai
United Arab Emirates

Phone +971 4 8811 428
Fax +971 4 8811 438
info@regupolacousticsmiddleeast.com
www.rame.ae

BSW SHANGHAI CO. LTD.
Delight Pacific Suites, Room 2909
No. 831 Xinzha Road
200041 Shanghai
China

Phone +86 21 6267 3669
Fax +86 21 6267 3369-8008
info@regupol.cn
www.regupol.cn

The technical information given in the documents are guideline values. They are liable to manufacturing tolerances, which may vary depending on the type of underlying properties. The currently valid versions of this information are provided on our website and in the PDF versions of this catalogue. The PDF versions are available to download from our website. We do not assume liability for spelling or printing errors.

