



PLAYFIX® INDOOR SAFETY FLOORING



“KETTELER HOF” INDOOR THEME PARK,
HALTERN AM SEE (GERMANY)

AT A GLANCE

BSW products used

- playfix® indoor
Colours: May green, Sky Blue

Installed area
approx. 300 m²

Architect
Jolanta Teschner

“KETTELER HOF” INDOOR THEME PARK HALTERN AM SEE, GERMANY



On April 1st, the Ketteler Hof leisure park in Haltern am See opened an indoor play centre with nine different theme worlds covering a total area of around 2,000 m². The kids can embark on an exciting world tour that takes them from the North Pole to Alps and even into space! In the toddlers play area, where the theme is taken from a German parlour game called “Stadt-Land-Fluss” (town, country, river), a **playfix® indoor** safety floor from BSW in Bad Berleburg provides the required safe surface for soft landings.

Romping around in a corn bath, riding on tractors, building an obstacle course with their parents – the toddlers’ area focuses squarely on enjoying physical activity, combining the experiences of play with senses and feelings. Famous for imaginative playing areas, the Kettler Hof adventure park’s philosophy encourages children to join in actively, rather than consume passively. That can be felt in all individual areas, right down to the smallest detail, and in this respect, the **playfix® indoor** floor from BSW conforms to the park operator’s requirements.

On the one hand, the structure of elastic protective layer and seamless PU surface guarantees the safety of the little explorers, because **playfix® indoor** has certified fall protection properties for fall heights of up to 3 metres. On the other, the coloured design possibilities transform the floor itself into a piece of playing apparatus. For instance, the architect of the indoor area, Jolanta Teschner from the Dipl.-Ing. Rolf Teschner bureau for garden and landscape design in Dülmen, has designed a river flowing through a green meadow. This doesn’t only integ-

rate the **playfix®** floor into the “town-country-river” theme, but also encourages the children to include the floor in their games. Fixed playing equipment, such as the large tractor in the corn ball pool, is enclosed seamlessly by **playfix® indoor**.

playfix® indoor’s PU surface is pleasantly warm under foot; a great benefit, as all indoor areas can only be entered in stocking feet. Besides, **playfix® indoor** complies with anti slip category “R10” in accordance with DIN 51130 and can therefore be classified as an extremely non-slipping surface.

For BSW, this is already the second project at Kettler Hof, for which they have provided the safety flooring. In the Pixie Village and on the adventure crazy golf course, two of the countless creative playing areas in the park’s outdoor section, **playfix®** safety flooring was laid in 2008. The new indoor play area now offers a fascinating range of playing options for the cold season as well.



FURTHER INFORMATION ON **PLAYFIX® INDOOR**

FURTHER INFORMATION ON OUR PRODUCTS AND
NUMEROUS REFERENCES CAN BE FOUND ON OUR
WEBSITE **WWW.BERLEBURGER.COM**



**BSW BERLEBURGER
SCHAUMSTOFFWERK GMBH**
Am Hilgenacker 24
57319 Bad Berleburg
Germany

Phone +49 2751 803-0
Fax +49 2751 803-109
info@berleburger.de
www.berleburger.com

REGUPOL SCHWEIZ AG
Bahnhofstrasse 5
8953 Dietikon
Switzerland

Phone +41 44 542 84 40
Fax +41 44 542 84 42
info@regupol.ch
www.regupol.ch

REGUPOL AMERICA LLC
11 Ritter Way
Lebanon, PA 17042
USA

Phone +1 717 675 2198
Fax +1 717 675 2199
sales@regupol.com
www.regupol.com

REGUPOL AUSTRALIA PTY. LTD.
155 Smeaton Grange Road
SMEATON GRANGE NSW 2567
Australia

Phone +61 2 4624 0050
Fax +61 2 4647 4403
sales@regupol.com.au
www.regupol.com.au

**REGUPOL ACOUSTICS
MIDDLE EAST FZE**
P.O. Box 61201
JAFZA, Dubai
United Arab Emirates

Phone +971 4 8811 428
Fax +971 4 8811 438
info@regupolacousticsmiddleeast.com
www.rame.ae

BSW SHANGHAI CO. LTD.
Delight Pacific Suites, Room 2909
No. 831 Xinzha Road
200041 Shanghai
China

Phone +86 21 6267 3669
Fax +86 21 6267 3369-8008
info@regupol.cn
www.regupol.cn

The technical information given in the documents are guideline values. They are liable to manufacturing tolerances, which may vary depending on the type of underlying properties. The currently valid versions of this information are provided on our website and in the PDF versions of this catalogue. The PDF versions are available to download from our website. We do not assume liability for spelling or printing errors.

